



DEFENSE LOGISTICS AGENCY
HEADQUARTERS
8725 JOHN J. KINGMAN ROAD
FORT BELVOIR, VIRGINIA 22060-6221

IN REPLY
REFER TO

DLMSO

DEC 21 2005

MEMORANDUM FOR SUPPLY PROCESS REVIEW COMMITTEE (PRC) MEMBERS

SUBJECT: Approved Defense Logistics Management System (DLMS) Change (ADC) 69A, DLMS Mapping for DLA Requisition Exception Data Transaction, Document Identifier (DI) Code YRZ (Supply)

The attached change to DOD 4000.25-M, DLMS, is approved for implementation. This change supplements previously published Approved DLMS Change (ADC) 69. The updated DLMS Supplement will be posted to the Defense Logistics Management Standards Office (DLMSO) Web site (<http://www.dla.mil/j-6/dlms/ICs/Default.htm>) within 15 days from the above date for implementation planning. DLMSO will submit concurrently any necessary revisions to the governing Federal Implementation Convention to the DOD Electronic Data Interchange Standards Management Committee, and the Federal Electronic Data Interchange Standards Management Coordinating Committee, and applicable working groups.

Addressees may direct questions to the DLMSO points of contact Ms. Ellen Hilert, Chair, Supply Process Review Committee, 703-767-0676, DSN 427-0676, or e-mail: ellen.hilert@dla.mil, or Ms. Aundra Rhone-Jones, DOD MILSTRIP System Administrator, 703-767-3630, or e-mail: aundra.rhone-jones@dla.mil. Others must contact their Component designated representative.

DONALD C. PIPP
Director
Defense Logistics Management
Standards Office

Attachment

cc:
ADUSD(L)SCI

Approved DLMS Change 69A
DLMS Mapping for DLA Requisition Exception Data Transaction, DI Code YRZ

1. ORIGINATOR:

- a. **Service/Agency:** Defense Logistics Agency
- b. **Originator:** Supply PRC, Chair: Ellen Hilert, DLA DLMSO/J-6251, Defense Logistics Management Standards Office (DLMSO), 703-767-0676 (DSN 427), ellen.hilert@dla.mil
- c. **DLA Point of Contact:** J-332, 703-767-1562 (DSN 427)

2. FUNCTIONAL AREA:

Primary: Supply

3. REFERENCE:

- a. DLA Manual 4140.2, Vol. II, Part 3, Appendix B-237
- b. DLMSO Memorandum subject: Approved DLMS Change 69, DLMS Mapping for DLA Requisition Exception Data Transaction, Document Identifier (DI) Code YRZ, dated August 06, 2002.

4. REQUESTED CHANGE:

- a. **Title:** DLMS Mapping for Requisition Exception Data Transaction, DI Code YRZ
- b. **Description of Change:** This change accommodates the Business Systems Modernization (BSM) SAP requirement for receiving requisition exception data. ADC 69 modified the IC/DS 511R, Requisition, to transmit the data content of the DLA DI Code YRZ. This change extends that capability to the IC/DS for the 511M and the 869F. The DLA DI Code YRZ passes from the requisitioner, under authorized conditions, to Inventory Control Point (ICP). Inclusion of these data elements supports DAAS conversion from the DLA unique transaction to the DLMS transaction required by BSM. Additionally, this change deletes a redundant code from data element PID02 in the 869F transaction. Administrative changes for the 511R are included to ensure consistency in the DLMS exception data notes among the three transactions. This approved change includes additional clarification developed subsequent to staffing of the proposed change 69A. This additional clarification is highlighted in **green**.
- c. **Procedures:**

(1) This transaction may be used to reflect four types of exception data. These types are technical exception information, CAGE/Part number data in excess of 15 positions, mark-for delivery information, or ship-to clear text addresses. Ship-to information for Foreign Military Sales requires two additional types of addresses, the notice of availability address and the in-country address. DAAS will prepare this transaction by associating the DLA DI Code YRZ with the requisition data to create a single transaction. This transaction will be prepared when a MILSTRIP requisition, modifier, or follow-up that can be used as a new requisition, DI Code A_E or A_5 is received with aforementioned types of exception data. [Note: This transaction does not include the purge code used on the DLA DI Code YRZ to remove exception data maintained on requisition file.]

(2) Add the following codes/notes to the 511M, Requisition (Modification):

#	Location	Revision	Reason	Federal IC
1	Introductory DLMS Notes	<p><u>Add note 3f:</u></p> <p>f. Data required to accommodate Component-unique transaction requirements (example: C-series transactions). Data does not apply to DLSS transactions.</p>	Provides note of explanation for applicable IC/DS changes.	No change
2	2/NTE/120	<p><u>Open NTE segment and add segment notes and add new code with note at NTE01:</u></p> <p><i>Federal note: Use to identify exception data associated with the transaction. Use during extraordinary situations requiring manual intervention in the requisition processing routine.</i></p> <p><i>DLMS note: 1. Exception data associated with the requisition is a DLMS enhancement; see introductory DLMS note 3a.</i></p> <p><i>2. Use with Requisition Exception Data Transaction (DLA DI Code YRZ) to indicate technical/descriptive exception information or pick, pack/special delivery instructions or extended part number. See introductory DLMS note 3f.</i></p> <p><u>NTE01 Code ORI: Order Instructions. Add note:</u></p> <p><i>DLMS Note: Use with Requisition Exception Data Transaction (DLA DI Code YRZ-Line Counters 01-20) to indicate technical/descriptive exception information for procurement purposes. Segment may be repeated up to 20 times with same NTE01 qualifier. A maximum of 60 positions (including spaces) may be sent for each occurrence of the NTE01. A maximum of 1200 positions of text (including spaces) may be sent. Pick, pack, and special delivery</i></p>	Provides the ability to send exception data in the transaction set.	Federal IC revision required.

		<p>type instructions (DLA DI Code YRZ-Line Counters 01-06) may also be entered as exception data to be forwarded to a DSS storage activity, as part of an exception MRO. This type of data is limited to 360 positions (including spaces) which would be the segment repeated up to 6 times with the same NTE01 qualifier. See introductory DLMS note 3f.</p> <p><u>Add Code PDS and associated note:</u></p> <p>PDS Product Specification DLMS Note: Use with Requisition Exception Data Transaction (DLA DI Code YRZ-Transaction Code PN) to indicate an extended part number. Only a single instance of the segment is used with this NTE01 qualifier. A maximum of 60 positions of text (including spaces) may be sent. See introductory DLMS note 3f.</p>		
3	2/NTE02/120	<p><u>Add DLMS note:</u></p> <p>The field size is limited to a maximum of 60 positions (including spaces) in each occurrence of NTE02. The total positions allowed is limited to 1200 (including spaces) which is a maximum of 20 occurrences of the NTE02. See introductory DLMS note 3d.</p>	Clarification	No Change
4	2/LQ/140	<p><u>Add new note 2 to LQ01 Code 0 Document Identification Code</u></p> <p>2. Use two iterations to identify requisition DI Code and Requisition Exception Data Transaction (DLA DI Code YRZ), when applicable.</p>	Clarifies usage of DI Code.	No Change
5	2/N1/180	<p><u>Add two codes and associated notes to N101 and add new DLMS notes to existing Codes DA and Z7:</u></p> <p>Add new DLMS note 2 to code DA Delivery Address: 2. Use for Requisition Exception Data Transaction (DLA DI Code YRZ-Transaction Code ST) for exception ship-to address information. See introductory DLMS note 3f.</p> <p>Add code IAD: Foreign Office.</p> <p>Add Federal Note: Use for clear-text exception data FMS in-country address.</p> <p>Add DLMS Note: Use for Requisition Exception Data Transaction (DLA DI Code YRZ-Transaction Code MA) FOR FMS in-country mark-for address. See introductory DLMS note 3f.</p>	Allows for a further breakdown of the address type.	Federal IC revision recommended to add new codes.

		<p>Add code IF: International Freight Forwarder.</p> <p>Add DLMS Note: <i>Use for Requisition Exception Data Transaction (DLA DI Code YRZ-Transaction Code NA) Notice of Availability (NOA) address information. See introductory DLMS note 3f.</i></p> <p>Add DLMS note to code Z7 Mark-for Party:</p> <p>2. <i>Use for Requisition Exception Data Transaction (DLA DI Code YRZ-Transaction Code MF) to identify mark-for delivery information. See introductory DLMS note 3f.</i></p> <p><u>Add new DLMS note 5 to N102:</u></p> <p>5. <i>Use for Requisition Exception Data Transaction (DLA DI Code YRZ-Transaction Codes ST, MA, NA and MF) with N101 code DA, IAD, IF and Z7 to identify the exception address line 1. For Codes DA, IAD and IF a maximum of 35 positions (including spaces) is allowed. For code Z7 a maximum of 30 positions (including spaces) is allowed. See introductory DLMS notes 3f.</i></p>		
6	2/N2/190	<p><u>Add segment note 2:</u></p> <p>DLMS Note: 2. <i>Use for Requisition Exception Data Transaction (DLA DI Code YRZ) for mark-for, ship-to, FMS in-country mark-for and notice of availability address information. See introductory DLMS note 3f.</i></p> <p><u>Add element note to N201:</u></p> <p>Add DLMS note: <i>Use for Requisition Exception Data Transaction (DLA DI Code YRZ-Transaction Codes ST, MA, NA and MF) with N101 Codes DA, IAD, and IF for address line 2, if not the final line and with Z7 for address line 2. For Codes DA, IAD and IF a maximum of 35 positions (including spaces) is allowed. For code Z7 a maximum of 30 positions (including spaces) is allowed. See introductory DLMS note 3f.</i></p> <p><u>Add element note to N202:</u></p> <p><i>Use for Requisition Exception Data Transaction (DLA DI Code YRZ-Transaction Codes ST, MA, NA and MF) with N101 Codes DA, IAD, and IF for address line 3, if not the final line and with Z7 for address line 3. For Codes DA, IAD and IF a maximum of 35 positions (including spaces) is allowed. For code Z7 a maximum of 30 positions (including spaces) is allowed. See introductory DLMS note 3f.</i></p>	Provides explanation regarding usage of segment.	No change.

7	2/N3/200	<p><u>Add segment note 2:</u></p> <p>2. Use for Requisition Exception Data Transaction (DLA DI Code YRZ) for mark-for delivery data. See introductory DLMS note 3f.</p> <p><u>Add element note to N301:</u></p> <p>DLMS Note: Use for Requisition Exception Data Transaction (DLA DI Code YRZ, Transaction Code MF) with N101 code Z7 to reflect line 4 of the mark-for delivery data. A maximum of 30 positions (including spaces) is allowed.</p>	Provides explanation regarding usage of segment.	No change.
8	2/N4/210	<p><u>Add segment note 2:</u></p> <p>2. Use for Requisition Exception Data Transaction to reflect address information. See introductory DLMS note 3f.</p> <p><u>Add note to N401:</u></p> <p>DLMS Note: Use for Requisition Exception Data Transaction (DLA DI Code YRZ, Transaction Codes ST, MA and NA) with N101 Codes DA, IF, and IAD for final address line to reflect the city name (DLA DI Code YRZ-City Name in field positions 22-41). A maximum of 20 positions (including spaces) is allowed. See introductory DLMS note 3f.</p> <p><u>Add note to N402:</u></p> <p>DLMS Note: Use for Requisition Exception Data Transaction (DLA DI Code YRZ, Transaction Code ST) with N101 code DA and IF for final address line to indicate the state code associated with the ship-to address, when applicable. (DLA DI Code YRZ-State Code in field positions 43-44).</p> <p><u>Add note to N403:</u></p> <p>DLMS Note: Use for the Requisition Exception Data Transaction (DLA DI Code YRZ, Transaction Codes ST, MA, and NA) with the N101 Codes DA, IF, and IAD for final address line to reflect the postal code. (DLA DI Code YRZ-Postal Code in field positions 46-56). A maximum of 11 positions (including spaces) is allowed. See introductory DLMS note 3f.</p>	Provides explanation regarding usage of segment.	No change.

		<p><u>Add note to N404:</u></p> <p><i>DLMS Note: Use for the Requisition Exception Data Transaction (DLA DI Code YRZ-Transaction Codes ST, MA and NA) with the N101 Codes DA and IF (when other than U.S.), and IAD for final address line to reflect the country code. May reflect DLA 3-position country code. (DLA DI Code YRZ-Country Code in field positions 43-45). See introductory DLMS note 3f.</i></p>		
--	--	---	--	--

(3) Add the following codes/notes to the 869F, Requisition Follow-up:

#	Location	Revision	Reason	Federal IC
1	Introductory DLMS Notes (Cover Page)	<p><u>Add note 4f:</u></p> <p><i>f. Data required to accommodate Component-unique transaction requirements (example: C-series transactions). Data does not apply to DLSS transactions.</i></p>	Provides note of explanation for applicable IC/DS changes.	No change
2	2/PID/60	<p><u>Add DLMS notes to PID Segment</u></p> <p><i>DLMS note: 1. Exception data associated with the requisition is a DLMS enhancement; see introductory DLMS note 4a.</i></p> <p><i>2. Use with Requisition Exception Data Transaction (DLA DI Code YRZ) to indicate technical/descriptive exception information or pick, pack/special delivery instructions or extended part number. See introductory DLMS note 4f.</i></p>	Provides the ability to send exception data in the transaction set.	Federal IC revision required.
3	2/PID02/60	<p><u>Add code and DLMS note:</u></p> <p>08 Product DLMS Note: Use with Requisition Exception Data Transaction (DLA DI Code YRZ-Transaction Code PN) to indicate an extended part number. Only a single instance of the segment is used with this PID02 qualifier. A maximum of 60 positions of text (including spaces) may be sent. See introductory DLMS note 4f.</p> <p><u>Add DLMS note to existing code:</u></p> <p>GEN General Description DLMS Note: Use with Requisition Exception Data Transaction (DLA DI Code YRZ-Line Counters 01-20) to indicate technical/descriptive exception information for procurement purposes. Segment may be repeated up to 20 times with same PID02</p>	<p>Provides the ability to send exception data in the transaction set.</p> <p>Revises mapping to consolidate the original DLMS enhancements for exception data and for non-standard material description, and the new DLMS enhancement for exception data resulting from DAAS conversion of the DLA DI Code YRZ by using the GEN qualifier and eliminating the 01 qualifier.</p>	Federal IC revision required.

		<p>qualifier. A maximum of 60 positions (including spaces) may be sent for each occurrence of the PID02. A maximum of 1200 positions of text (including spaces) may be sent. Pick, pack, and special delivery type instructions (DLA DI Code YRZ-Line Counters 01-06) may also be entered as exception data to be forwarded to a DSS storage activity, as part of an exception MRO. This type of data is limited to 360 positions (including spaces) which would be the segment repeated up to 6 times with the same PID02 qualifier. See introductory DLMS note 4f.</p> <p>Deleted code “01 Limiting Operation” and associated Federal Note: Federal Note: Use in conjunction with exception data descriptions.</p>		
4	2/PID05/60	<p><u>Add DLMS note:</u></p> <p>The field size is limited to a maximum of 60 positions (including spaces) in each occurrence of PID05. The total positions allowed is limited to 1200 (including spaces) which is a maximum of 20 occurrences of the PID05. See introductory DLMS note 4d.</p>	Clarification	No Change
5	2/LQ/180	<p><u>Add new note 2 to LQ01 Code 0 Document Identification Code:</u></p> <p>2. Use two iterations to identify requisition DI Code and Requisition Exception Data Transaction (DLA DI Code YRZ), when applicable.</p>	Clarifies usage of DI Code.	No Change
6	2/N1/110	<p><u>Add two codes and associated notes to N101 and add new DLMS notes to existing Codes DA and Z7:</u></p> <p>Add DLMS note to code DA Delivery Address: 2. Use for Requisition Exception Data Transaction (DLA DI Code YRZ Transaction Code ST) for exception ship-to address information. See introductory DLMS note 4f.</p> <p>Add code IAD: Foreign Office.</p> <p>Add Federal Note: Use for clear-text exception data FMS in-country address.</p> <p>Add DLMS Note: Use for Requisition Exception Data Transaction (DLA DI Code YRZ Transaction Code MA) FOR FMS in-country mark-for address. See introductory DLMS note 4f.</p>	Allows for a further breakdown of the address type.	Federal IC revision recommended to add new codes.

		<p>Add code IF: International Freight Forwarder.</p> <p>Add DLMS Note: <i>Use for Requisition Exception Data Transaction (DLA DI Code YRZ-Transaction Code NA) Notice of Availability (NOA) address information. See introductory DLMS note 4f.</i></p> <p>Add DLMS note to code Z7 Mark-for Party:</p> <p>2. <i>Use for Requisition Exception Data Transaction (DLA DI Code YRZ-Transaction Code MF) to identify mark-for delivery information. See introductory DLMS note 4f.</i></p> <p><u>Add DLMS note to N102:</u></p> <p>4. <i>Use for Requisition Exception Data Transaction (DLA DI Code YRZ-Transaction Codes ST, MA, NA and MF) with N101 code DA, IAD, IF and Z7 to identify the exception address line 1. For Codes DA, IAD and IF a maximum of 35 positions (including spaces) is allowed. For code Z7 a maximum of 30 positions (including spaces) is allowed. See introductory DLMS notes 4f.</i></p>		
7	2/N2/120	<p><u>Add segment note 2 :</u></p> <p>DLMS Note: 2. <i>Use for Requisition Exception Data Transaction (DLA DI Code YRZ) for mark-for, ship-to, FMS in-country mark-for and notice of availability address information. See introductory DLMS note 4f.</i></p> <p><u>Add element note to N201:</u></p> <p>Add DLMS note: Add DLMS note: <i>Use for Requisition Exception Data Transaction (DLA DI Code YRZ-Transaction Codes ST, MA, NA and MF) with N101 Codes DA, IAD, and IF for address line 2, if not the final line and with Z7 for address line 2. For Codes DA, IAD and IF a maximum of 35 positions (including spaces) is allowed. For code Z7 a maximum of 30 positions (including spaces) is allowed. See introductory DLMS note 4f.</i></p> <p><u>Add element note to N202:</u></p> <p><i>Use for Requisition Exception Data Transaction (DLA DI Code YRZ-Transaction Codes ST, MA, NA and MF) with N101 Codes DA, IAD, and IF for address line 3, if not the final line and with Z7 for address line 3. For Codes DA, IAD and IF a maximum of 35 positions (including spaces) is allowed. For code Z7 a maximum of 30 positions (including spaces) is allowed. See introductory DLMS note 4f.</i></p>	Provides explanation regarding usage of segment.	No change.

8	2/N3/130	<p><u>Add segment note 2 :</u></p> <p>2. Use for Requisition Exception Data Transaction (DLA DI Code YRZ) for mark-for delivery data. See introductory DLMS note 4f.</p> <p><u>Add element note to N301:</u></p> <p>DLMS Note: Use for Requisition Exception Data Transaction (DLA DI Code YRZ Transaction Code MF) with N101 code Z7 to reflect line 4 of the mark-for delivery data. A maximum of 30 positions (including spaces) is allowed.</p>	Provides explanation regarding usage of segment.	No change.
9	2/N4/140	<p><u>Add segment note 2 :</u></p> <p>2. Use for Requisition Exception Data Transaction to reflect address information. See introductory DLMS note 4f.</p> <p><u>Add note to N401:</u></p> <p>DLMS Note: Use for Requisition Exception Data Transaction (DLA DI Code YRZ Transaction Codes ST, MA and NA) with N101 Codes DA, IF, and IAD for final address line to reflect the city name (DLA DI Code YRZ-City Name in field positions 22-41). A maximum of 20 positions (including spaces) is allowed. See introductory DLMS note 4f.</p> <p><u>Add note to N402:</u></p> <p>DLMS Note: Use for Requisition Exception Data Transaction (DLA DI Code YRZ Transaction Code ST) with N101 code DA and IF for final address line to indicate the state code associated with the ship-to address, when applicable. (DLA DI Code YRZ-State Code in field positions 43-44).</p> <p><u>Add note to N403:</u></p> <p>DLMS Note: Use for the Requisition Exception Data Transaction (DLA DI Code YRZ-Transaction Codes ST, MA, and NA) with the N101 Codes DA, IF, and IAD for final address line to reflect the postal code. (DLA DI Code YRZ-Postal Code in field positions 46-56). A maximum of 11 positions (including spaces) is allowed. See introductory DLMS note 4f.</p>	Provides explanation regarding usage of segment.	No change.

		<p><u>Add note to N404:</u></p> <p><i>DLMS Note: Use for the Requisition Exception Data Transaction (DLA DI Code YRZ-Transaction Codes ST, MA and NA) with the N101 Codes DA and IF (when other than U.S.), and IAD for final address line to reflect the country code. May reflect DLA 3-position country code. (DLA DI Code YRZ-Country Code in field positions 43-45). See introductory DLMS note 4f.</i></p>		
--	--	---	--	--

(4) Add the following notes to the 511R, Requisition

#	Location	Revision	Reason	Federal IC
1	2/NTE01/120	<p><u>Revise DLMS Segment Note 2:</u></p> <p><i>2. Use with Requisition Exception Data Transaction (DLA DI Code YRZ) to indicate technical/descriptive exception information or pick, pack/special delivery instructions or extended part number. See introductory DLMS note 3e</i></p> <p><u>Revise DLMS note for code ORI:</u></p> <p><i>Use with Requisition Exception Data Transaction (DLA DI Code YRZ-Line Counters 01-20) to indicate technical/descriptive exception information for procurement purposes. Segment may be repeated up to 20 times with same NTE01 qualifier. A maximum of 60 positions (including spaces) may be sent for each occurrence of the NTE01. A maximum of 1200 positions of text (including spaces) may be sent. Pick, pack, and special delivery type instructions (DLA DI Code YRZ-Line Counters 01-06) may also be entered as exception data to be forwarded to a DSS storage activity, as part of an exception MRO. This type of data is limited to 360 positions (including spaces) which would be the segment repeated up to 6 times with the same NTE01 qualifier. See introductory DLMS note 3e.</i></p> <p><u>Revise DLMS note for code PDS:</u></p> <p><i>Use with Requisition Exception Data Transaction (DLA DI Code YRZ-Transaction Code PN) to indicate an extended part number. Only a single instance of the segment</i></p>	Provides the ability to send exception data in the transaction set.	No change

		<i>is used with this NTE01 qualifier. A maximum of 60 positions of text (including spaces) may be sent. See introductory DLMS note 3e.</i>		
2	2/NTE02/120	<p><u>Add DLMS note:</u></p> <p><i>The field size is limited to a maximum of 60 positions (including spaces) in each occurrence of NTE02. The total positions allowed is limited to 1200 (including spaces) which is a maximum of 20 occurrences of the NTE02. See introductory DLMS note 3d.</i></p>	Clarification	No Change
3	2/N1/180	<p><u>Revise DLMS note 2 for code DA, Delivery Address:</u></p> <p><i>2. Use for Requisition Exception Data Transaction (DLA DI Code YRZ-Transaction Code ST) for exception ship-to address information. See introductory DLMS note 3e.</i></p> <p><u>Revise DLMS note for code IAD, Foreign Office:</u></p> <p><i>Use for Requisition Exception Data Transaction (DLA DI Code YRZ-Transaction Code MA) For FMS in-country mark-for address. See introductory DLMS note 3e.</i></p> <p><u>Revise DLMS Note for code IF, International Freight Forwarder:</u></p> <p><i>Use for Requisition Exception Data Transaction (DLA DI Code YRZ-Transaction Code NA) Notice of Availability (NOA) address information. See introductory DLMS note 3e.</i></p> <p><u>Revise DLMS note 2 for code Z7, Mark-for Party:</u></p> <p><i>2. Use for Requisition Exception Data Transaction (DLA DI Code YRZ-Transaction Code MF) to identify mark-for delivery information. See introductory DLMS note 3e.</i></p> <p><u>Revise DLMS element note 6 to N102:</u></p> <p><i>6. Use for Requisition Exception Data Transaction (DLA DI Code YRZ-Transaction Codes ST, MA, NA and MF) with N101 code DA, IAD, IF and Z7 to identify the exception</i></p>	Clarification.	No Change.

		<p>address line 1. For Codes DA, IAD and IF a maximum of 35 positions (including spaces) is allowed. For code Z7 a maximum of 30 positions (including spaces) is allowed. See introductory DLMS notes 3e.</p>		
4	2/N2/190	<p><u>Revise DLMS element note to N201:</u></p> <p>Use for Requisition Exception Data Transaction (DLA DI Code YRZ-Transaction Codes ST, MA, NA and MF) with N101 Codes DA, IAD, and IF for address line 2, if not the final line and with Z7 for address line 2. For Codes DA, IAD and IF a maximum of 35 positions (including spaces) is allowed. For code Z7 a maximum of 30 positions (including spaces) is allowed. See introductory DLMS note 3e.</p> <p><u>Revise DLMS element note to N202:</u></p> <p>Use for Requisition Exception Data Transaction (DLA DI Code YRZ-Transaction Codes ST, MA, NA and MF) with N101 Codes DA, IAD, and IF for address line 3, if not the final line and with Z7 for address line 3. For Codes DA, IAD and IF a maximum of 35 positions (including spaces) is allowed. For code Z7 a maximum of 30 positions (including spaces) is allowed. See introductory DLMS note 3e.</p>	Clarifies explanation regarding usage of segment.	No change.
5	2/N3/200	<p><u>Revise DLMS element note to N301:</u></p> <p>Use for Requisition Exception Data Transaction (DLA DI Code YRZ-Transaction Code MF) with N101 code Z7 to reflect line 4 of the mark-for delivery data. A maximum of 30 positions (including spaces) is allowed.</p>	Clarifies explanation regarding usage of segment.	No change.
6	2/N4/210	<p><u>Revise DLMS element note to N401:</u></p> <p>Use for Requisition Exception Data</p>	Clarifies explanation regarding usage of segment.	No change.

		<p>Transaction (DLA DI Code YRZ-Transaction Codes ST, MA and NA) with N101 Codes DA, IF, and IAD for final address line to reflect the city name. (DLA DI Code YRZ-City Name in field positions 22-41). A maximum of 20 positions (including spaces) is allowed. See introductory DLMS note 3e.</p> <p><u>Revise DLMS element note to N402:</u></p> <p>Use for Requisition Exception Data Transaction (DLA DI Code YRZ-Transaction Code ST) with N101 code DA and IF for final address line to indicate the state code associated with the ship-to address, when applicable. (DLA DI Code YRZ-State Code in field positions 43-44).</p> <p><u>Revise DLMS element note to N403:</u></p> <p>Use for the Requisition Exception Data Transaction (DLA DI Code YRZ-Transaction Codes ST, MA, and NA) with the N101 Codes DA, IF, and IAD for final address line to reflect the postal code. (DLA DI Code YRZ-Postal Code in field positions 46-56). A maximum of 11 positions (including spaces) is allowed. See introductory DLMS note 3e.</p> <p><u>Revise DLMS element note to N404:</u></p> <p>DLMS Note: Use for the Requisition Exception Data Transaction (DLA DI Code YRZ-Transaction Codes ST, MA and NA) with the N101 Codes DA and IF (when other than U.S.), and IAD for final address line to reflect the country code. <u>May reflect DLA 3-position country code.</u> (DLA DI Code YRZ-Country Code in field positions 43-45). See introductory DLMS note 3e.</p>		
--	--	--	--	--

d. Alternatives: BSM could perpetuate use of the DI Code YRZ transaction as currently formatted.

5. REASON FOR CHANGE: This change supports component-level DLMS implementation. These data elements and codes were initially identified during a review of DLA-unique transactions required for implementation of the BSM. In this regard the initial ADC 69 incorporated the YRZ exception data into the IC/DS for the 511R, Requisition. This change extends this capability to IC/DS 511M, Modifiers and 869F, Follow-ups, both of which can be treated as new requisitions when there is no record of the original requisition in the ICP's requisition processing system.

6. ADVANTAGES AND DISADVANTAGES:

- a. Advantages:** Supports component-level DLMS implementation.
- b. Disadvantages:** None identified.

7. IMPACT:

- a. Data Content/Procedures:** May require minimal update to DAAS and DLA BSM mapping.
- b. Publication(s):** DoD 4000.25-M , DLMS; Federal IC 511M and corresponding DS and IC 869F and corresponding DS. The DS revision requires corresponding revision of the Federal IC. All applicable revisions will be submitted to the EDISMC/Logistics Functional Work Group for coordination/approval.